

Closed Topic Search

Enter terms
Search

[Reset](#) Sort By: Close Date (descending)

- [Relevancy \(descending\)](#)
- [Title \(ascending\)](#)
- [Open Date \(descending\)](#)
- [Close Date \(ascending\)](#)
- [Release Date \(descending\)](#)

NOTE: The Solicitations and topics listed on this site are copies from the various SBIR agency solicitations and are not necessarily the latest and most up-to-date. For this reason, you should visit the respective agency SBIR sites to read the official version of the solicitations and download the appropriate forms and rules.

Displaying 81 - 90 of 3298 results

Closed Topic Search

Published on SBIR.gov (<https://www.sbir.gov>)

1. [N152-103: Innovative Flexible Equipment Support Infrastructure](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

US Navy Destroyers need an equipment support infrastructure for several shipboard electronics and command spaces for a Common Processing System (CPS). The purpose of the flexible infrastructure (FI) is to provide equipment configuration flexibility and the ability to complete Command Center System modernization and upgrades at reduced cost (by 30 to 60 percent) (Ref 1) compared to fixed-system mo ...

SBIR Navy Department of Defense

2. [N152-104: Manufacturing Near-Net-Shape Conformal Electro-optic Sensor Window Blanks from Spinel](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Electro-optic sensor windows that conform to the local shape of an aircraft mold-line are desirable for future air platforms to allow for a large sensor angle of regard. Conformal shapes may have little to no symmetry depending upon their location. Spinel is an excellent material candidate as it is both durable and multi-spectral (ultraviolet through mid-wave infrared). Spinel is more erosion resi ...

SBIR Navy Department of Defense

3. [N152-105: Metrology of Visibly Opaque, Infrared-Transparent Aerodynamic Domes, Conformal Windows, and Optical Corrector Elements](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

The function of electro-optical sensors is greatly impacted by the window's properties. Survivability depends on material strength, hardness, and thermal properties. Targeting is limited by optical properties of the window material. Drag is reduced by aerodynamic shapes. The objective of this project is to create metrology methods and hardware to measure the optical figure and transmitted wavefr ...

SBIR Navy Department of Defense

4. [N152-106: Metrology of Visibly Transparent Large Aspheric Optics](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Aspheric optics represent the next generation in electro-optic sensor windows allowing for windows that conform to the local shape of an aircraft moldline, domes that reduce drag in missiles, and optical elements that correct for distortions produced by conformal windows and aerodynamic domes. The objective of this project is to develop metrology methods and hardware to measure the optical figure ...

SBIR Navy Department of Defense

5. [N152-107: Manufacturing of Visibly Transparent Large Conformal Windows](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Conformal electro-optic sensor windows are desirable for future air platforms as they maintain the shape of the aircraft moldline and allow for a large sensor angle of regard. Such windows may have little to no symmetry depending upon their location. Spinel is an excellent candidate window material as it is both durable and multi-spectral (ultraviolet through mid-wave infrared). Spinel is more ero ...

SBIR Navy Department of Defense

6. [N152-108: Accelerating Instructor Mastery \(AIM\)](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Educators typically study for four years at a university building a solid foundation of instructional knowledge. In addition, most educators also have observed practical experience before they instruct on their own. In contrast, active duty military instructors often don't have the benefit of any education on how to instruct. They are often recently graduated students; although their content kno ...

SBIR Navy Department of Defense

7. [N152-109: Reliability Centered Additive Manufacturing Design Framework](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Additive Manufacturing (AM) offers the opportunity to fabricate equivalent (i.e. same fit/form/function) structures and components in a more cost effective manner and in ways that are not currently possible with subtractive, casting or other manufacturing approaches. Unfortunately, today there are only a limited number of AM components that can achieve complete equivalency to their original counte ...

SBIR Navy Department of Defense

8. [N152-110: Dive Helmet Communication System](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

The current system being used is analog circuits (circa 1960's) with components to match. The communication components are susceptible to moisture and handling damage. Thus the existing communication system has reduced intelligibility in the varying noise levels of the current helmet. The diver helmet currently used by Navy divers (Kirby Morgan KM 37NS) has documented high noise levels from the br ...

SBIR Navy Department of Defense

9. [N152-111: Rapid Initialization and Filter Convergence for Electro-optic / Infrared Sensor Based Precision Ship-Relative Navigation for Automated Ship Landing](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

Carrier based fixed wing aircraft need accurate, high rate, and high integrity precision ship-relative navigation (PS-RN) to conduct safe and efficient automated landings. This SBIR is focused on capability that is not dependent on Radio Frequency (RF) emissions or Global Positioning System (GPS) in order to reduce vulnerability to interference. The PS-RN solution must initialize very quickly beca ...

SBIR Navy Department of Defense

10. [N152-112: Robust MEMs Oscillator Replacement for Quartz Crystal TCXO Oscillator](#)

Release Date: 04-24-2015 Open Date: 05-22-2015 Due Date: 06-24-2015 Close Date: 06-24-2015

High Precision Temperature Compensated Crystal Oscillators (TCXO's) are used in GPS receivers, radio transceivers, and other radio frequency devices used in guided munitions. Quartz TCXO's are useful as a clock reference for these devices because of their high frequency stability, often well below 2 parts per million (ppm). However, quartz crystal devices are sensitive to both mechanical shock and ...

SBIR Navy Department of Defense

- [First](#)
- [Previous](#)
- ...
- [5](#)
- [6](#)
- [7](#)
- [8](#)
- [9](#)
- [10](#)
- [11](#)
- [12](#)
- [13](#)
- ...
- [Next](#)
- [Last](#)

```
jQuery(document).ready( function() { (function ($) { $('#edit-keys').attr("placeholder", 'Search Keywords'); $('span.ext').hide(); })(jQuery); });
```